AUTHOR INDEX

Albrecht, A.-M., see Lazrak, T. (903) 132
Alvarez, J. and García-Sancho, J.
An estimate of the number of Ca^{2+}-dependent K^+ channels in the human red cell (903) 543
Alving, C.R., see Fogler, W.E. (903) 265
Alving, C.R., see Richardson, E.C. (903) 519
Amar, M., see Dagher, G. (903) 218
Amiel, C., see Friedlander, G. (903) 341
Apell, H.-J. and Bersch, B.
Oxonol VI as an optical indicator for membrane potentials in lipid vesicles (903) 480
Aramaki, Y., see Takahashi, M. (903) 31
Arienti, G., see Corazzi, L. (903) 277
Armstrong, W.M., see Lyall, V. (903) 56
Atkins, G.L., see Thomson, A.B.R. (903) 229

Babin, Y., D'Amour, J., Pigeon, M. and Pézolet, M.
A study of the structure of polymyxin B-dipalmitoylphosphatidylglycerol complexes by vibrational spectroscopy (903) 78
Barry, J.A., see Harig, J.M. (903) 358
Batenburg, A.M., Hibbeln, J.C.L. and De Kruijff, B.
Lipid specific penetration of melittin into phospholipid model membranes (903) 155
Batenburg, A.M., Hibbeln, J.C.L., Verkleij, A.J. and De Kruijff, B.
Melittin induces H_{II} phase formation in cardiolipin model membranes (903) 142
Bear, C.E., Davison, J.S. and Shaffer, E.A.
Sodium-dependent taurocholate uptake by isolated rat hepatocytes occurs through an electrogenic mechanism (903) 388
Bersch, B., see Apell, H.-J. (903) 480
Bevers, E.M., Verhallen, P.F.J., Linskens, W.M.A., Comfurius, P. and Zwaal, R.F.A.
Loss of phospholipid asymmetry in dilauroylphosphatidylcholine induced plasma membrane vesicles from human platelets (903) 197
Bevers, E.M., see Verhallen, P.F.J. (903) 206
Bonincontro, A., Cametti, C., Hausman, R.E., Indovina, P.L. and Santini, M.T.
Changes in myoblast membrane electrical properties during cell-cell adhesion and fusion in vitro (903) 89
Boyanov, A.I., see Koynova, R.D. (903) 186
Brasseur, R., Killian, J.A., De Kruijff, B. and Ruysschaert, J.M.
Conformational analysis of gramicidin-gramicidin interactions at the air/water interface suggests that gramicidin aggregates into tube-like structures similar as found in the gramicidin-induced hexagonal H_{II} phase (903) 11
Braun, H.P.
The transport of hydrophobic ions across lipid bilayers (903) 292
Büchner, K.-H., Walter, L. and Zimmermann, U.
Influence of anaesthetics on the movement of the mobile charges in the algal cell membrane of *Valonia utricularis* (903) 241

Cametti, C., see Bonincontro, A. (903) 89
Cardin, A.D., see Epps, D.E. (903) 533
Charalambous, B.M. and Wheeler, K.P.
Sodium ions protect a membrane transport protein from proteolysis (903) 441
Comfurius, P., see Bevers, E.M. (903) 197
Comfurius, P., see Verhallen, P.F.J. (903) 206
Corazzi, L. and Arienti, G.
Factors affecting the reaggregation of rat brain microsomes solubilized with octyl glucoside and their relationship with the base-exchange activity of reaggregates (903) 277
Corcelli, A., see Scalera, V. (903) 1
Cragoe Jr., E.J., see Davies, T.A. (903) 381
Croxton, T.L., see Lyall, V. (903) 56

Dagher, G., Amar, M. and Khefif, A.
Red blood cells Ca^{2+} pump is not altered in essential hypertension of humans and Kyoto rats (903) 218
D'Amour, J., see Babin, Y. (903) 78
Davies, T.A., Katona, E., Vasilescu, V., Cragoe Jr., E.J. and Simons, E.R.
Sequential sodium–proton exchange in thrombin-induced human platelets (903) 381
Davison, J.S., see Bear, C.E. (903) 388
De Kruijff, B., see Batenburg, A.M. (903) 142
De Kruijff, B., see Batenburg, A.M. (903) 155
De Kruijff, B., see Brasseur, R. (903) 11
Demura, M., Kamo, N. and Kobatake, Y.
Binding of lipophilic cations to the liposomal membrane: thermodynamic analysis (903) 303
De Pont, J.J.H.H.M., see Skrabanja, A.T.P. (903) 434
De Pont, J.J.H.H.M., see Swarts, H.G.P. (903) 525
Dinda, M., see Hicks, A. (903) 177
Dodd, N.J.F., see Morgan, C.G. (903) 495
Donovan, J.J., see Shiver, J.W. (903) 48
Dorset, D.L. and Massalski, A.K.
Co-solubility in binary phospholipid crystals (903) 319

East, J.M., see Napier, R.M. (903) 365
East, J.M., see Napier, R.M. (903) 374
Epps, D.E. and Cardin, A.D.
The interaction of *N*-oleylethanolamine with phospholipid bilayers (903) 533

Favilli, F., see Vincenzini, M.T. (903) 273
Fernández-Belda, F. and Gómez-Fernández, J.C.
Effect of the calcium-channel blockers on calcium accumulation in sarcoplasmic reticulum of skeletal muscle (903) 473
Fogler, W.E., Swartz Jr., G.M. and Alving, C.R.
Antibodies to phospholipids and liposomes: binding of antibodies to cells (903) 265
Frassanito, A., see Scalera, V. (903) 1
Friedlander, G., Le Grimellec, C., Giocondi, M.-C. and Amiel, C.
Benzyl alcohol increases membrane fluidity and modulates cyclic AMP synthesis in intact renal epithelial cells (903) 341
Fujiwara, Y., see Kuroda, Y. (903) 395

Gadella Jr., T.W.J., see Van Paridon, P.A. (903) 68
García-Sancho, J., see Alvarez, J. (903) 543
Gardner, M.L.G., see Thomson, A.B.R. (903) 229
Gasnier, B.
Characterization of low- and high-affinity glucose transports in the yeast *Kluyveromyces marxianus* (903) 425
George, R., Lewis, R.N.A.H. and McElhaney, R.N.
Reconstitution of the purified ($Na^+ + Mg^{2+}$)-ATPase from *Acholeplasma laidlawii* B membranes into lipid vesicles and a characterization of the resulting proteoliposomes (903) 283
Gervais, M., see Lawaczeck, R. (903) 112
Gibrat, R., see Grouzis, J.-P. (903) 449
Giocondi, M.-C., see Friedlander, G. (903) 341
Gómez-Fernández, J.C., see Fernández-Belda, F. (903) 473
Grignon, C., see Grouzis, J.-P. (903) 449
Grouzis, J.-P., Gibrat, R., Rigaud, J. and Grignon, C.
Study of sidedness and tightness to H^+ of corn root plasmalemma vesicles: preparation of a fraction enriched in inside-out vesicles (903) 449

Harig, J.M., Rajendran, V.M., Barry, J.A. and Ramaswamy, K.
Transport characteristics of L-glutamate in human jejunal brush-border membrane vesicles (903) 358
Hart, J.S., see Horne, III, M.K. (903) 349
Hausman, R.E., see Bonincontro, A. (903) 89
Heckl, W.M., Zaba, B.N. and Möhwald, H.
Interactions of cytochromes b_5 and *c* with phospholipid monolayers (903) 166
Hibbeln, J.C.L., see Batenburg, A.M. (903) 142
Hibbeln, J.C.L., see Batenburg, A.M. (903) 155
Hicks, A., Dinda, M. and Singer, M.A.
The ripple phase of phosphatidylcholines: effect of chain length and cholesterol (903) 177
Horne, III, M.K. and Hart, J.S.
Cytochalasin inhibition of hexose transport by platelets (903) 349

Iantomasi, T., see Vincenzini, M.T. (903) 273
Ikemoto, N., see Kim, H.W. (903) 333
Inaba, A., see Takahashi, M. (903) 31
Indovina, P.L., see Bonincontro, A. (903) 89

Joseph, M., see Nagaraj, R. (903) 465

Kamo, N., see Demura, M. (903) 303
Kashiwagura, T., Sakurai, K. and Takeguchi, N.
Physiological assay of liposome-mediated transport of a drug across *Xenopus* intestine: cell–liposome interaction (903) 248
Kato, H., see Suzuki, Y. (903) 417
Katona, E., see Davies, T.A. (903) 381
Khefif, A., see Dagher, G. (903) 218
Killian, J.A., see Brasseur, R. (903) 11
Kim, D.H., see Kim, H.W. (903) 333
Kim, H.W., Kim, D.H., Ikemoto, N. and Kranias, E.G.
Lack of effects of calcium · calmodulin-dependent phosphorylation on Ca^{2+} release from cardiac sarcoplasmic reticulum (903) 333
Kobatake, Y., see Demura, M. (903) 303
Kobayashi, M., Shoji, N. and Ohizumi, Y.
Gingerol, a novel cardiotonic agent, activates the Ca^{2+}-pumping ATPase in skeletal and cardiac sarcoplasmic reticulum (903) 96
Koschel, K., see Tas, P.W.L. (903) 411
Koynova, R.D., Boyanov, A.I. and Tenchov, B.G.
Gel-state metastability and nature of the azeotropic points in mixtures of saturated phosphatidylcholines and fatty acids (903) 186
Kranias, E.G., see Kim, H.W. (903) 333
Kress, H.G., see Tas, P.W.L. (903) 411
Kuroda, Y. and Fujiwara, Y.
Locations and dynamical perturbations for lipids of cationic forms of procaine, tetracaine, and dibucaine in small unilamellar phosphatidylcholine vesicles as studied by nuclear Overhauser effects in ^1H nuclear magnetic resonance spectroscopy (903) 395

Lawaczeck, R., Gervais, M., Nandi, P.K and Nicolau, C.
Fusion of negatively charged liposomes with clathrin-uncoated vesicles (903) 112
Lawaczeck, R., Nandi, P.K. and Nicolau, C.
Interaction of negatively charged liposomes with nuclear membranes: adsorption, lipid mixing and lysis of the vesicles (903) 123
Lazrak, T., Milon, A., Wolff, G., Albrecht, A.-M., Miehé, M., Ourisson, G. and Nakatani, Y.
Comparison of the effects of inserted C_{40}- and C_{50}-terminally dihydroxylated carotenoids on the mechanical properties of various phospholipid vesicles (903) 132
Lee, A.G., see Napier, R.M. (903) 365
Lee, A.G., see Napier, R.M. (903) 374
Lee, J.W. and Vidaver, G.A.
Transport and control of Ca^{2+} by pigeon erythrocytes. III. A 'paradoxical' expulsion of Ca^{2+} induced by a low dose of A23187 at 0 °C (903) 257
Le Grimellec, C., see Friedlander, G. (903) 341
Lewis, R.N.A.H., see George, R. (903) 283
Lieberman, D.M., Nattriss, M. and Reithmeier, R.A.F.
Carboxypeptidase Y digestion of band 3, the anion transport protein of human erythrocyte membranes (903) 37

Linskens, W.M.A., see Bevers, E.M. (903) 197
Lowe, A.G. and Walmsley, A.R.
A single half-turnover of the glucose carrier of the human erythrocyte (903) 547
Lyall, V., Croxton, T.L. and Armstrong, W.M.
Measurement of intracellular chloride activity in mouse liver slices with microelectrodes (903) 56

McElhaney, R.N., see George, R. (903) 283
Massa, P.T., see Tas, P.W.L. (903) 411
Massalski, A.K., see Dorset, D.L. (903) 319
Matsumoto, M., see Suzuki, Y. (903) 417
Miehé, M., see Lazrak, T. (903) 132
Milon, A., see Lazrak, T. (903) 132
Mitchell, A.C., see Morgan, C.G. (903) 504
Möhwald, H., see Heckl, W.M. (903) 166
Morgan, C.G., Sandhu, S.S., Yianni, Y.P. and Dodd, N.J.F.
The phase behaviour of dispersions of Bis-Azo PC: photoregulation of bilayer dynamics via lipid photochromism (903) 495
Morgan, C.G., Thomas, E.W., Sandhu, S.S., Yianni, Y.P. and Mitchell, A.C.
Light-induced fusion of liposomes with release of trapped marker dye is sensitised by photochromic phospholipid (903) 504
Murayama, J.-i., see Suzuki, Y. (903) 417

Nagao, Y., see Suzuki, Y. (903) 417
Nagaraj, R., Joseph, M. and Reddy, G.L.
Perturbation of the lipid bilayer of model membranes by synthetic signal peptides (903) 465
Nakatani, Y., see Lazrak, T. (903) 132
Nandi, P.K., see Lawaczeck, R. (903) 112
Nandi, P.K., see Lawaczeck, R. (903) 123
Napier, R.M., East, J.M. and Lee, A.G.
State of aggregation of the (Ca^{2+} + Mg^{2+})-ATPase studied using saturation-transfer electron spin resonance (903) 365
Napier, R.M., East, J.M. and Lee, A.G.
State of aggregation of the (Ca^{2+} + Mg^{2+})-ATPase studied using chemical cross-linking (903) 374
Nattriss, M., see Lieberman, D.M. (903) 37
Nicolau, C., see Lawaczeck, R. (903) 112
Nicolau, C., see Lawaczeck, R. (903) 123
Nir, S., Stutzin, A. and Pollard, H.B.
Effect of synexin on aggregation and fusion of chromaffin granule ghosts at pH 6 (903) 309

Ohizumi, Y., see Kobayashi, M. (903) 96
Ourisson, G., see Lazrak, T. (903) 132

Pézolet, M., see Babin, Y. (903) 78
Pigeon, M., see Babin, Y. (903) 78
Plagemann, P.G.W., see Woffendin, C. (903) 18
Poduslo, S.E., see Schmelzer, C.H. (903) 103
Pollard, H.B., see Nir, S. (903) 309

Rajendran, V.M., see Harig, J.M. (903) 358
Ramaswamy, K., see Harig, J.M. (903) 358
Reddy, G.L., see Nagaraj, R. (903) 465
Reithmeier, R.A.F., see Lieberman, D.M. (903) 37
Richardson, E.C. and Alving, C.R.
Radioprotective effects of lipid A, liposomes, and liposomes containing lipid A in mice (903) 519
Rigaud, J., see Grouzis, J.-P. (903) 449
Ruysschaert, J.M., see Brasseur, R. (903) 11

Sakurai, K., see Kashiwagura, T. (903) 248
Sandhu, S.S., see Morgan, C.G. (903) 495
Sandhu, S.S., see Morgan, C.G. (903) 504
Santini, M.T., see Bonincontro, A. (903) 89
Scalera, V., Corcelli, A., Frassanito, A. and Storelli, C.
Chloride dependence of the sodium-dependent glycine transport in pig kidney cortex brush-border membrane vesicles (903) 1
Schmelzer, C.H. and Poduslo, S.E.
Glycoproteins in the whorls of membrane produced by oligodendroglia in culture (903) 103
Schuurmans Stekhoven, F.M.A.H., see Swarts, H.G.P. (903) 525
Shaffer, E.A., see Bear, C.E. (903) 388
Shiver, J.W. and Donovan, J.J.
Interactions of diphtheria toxin with lipid vesicles: determinants of ion channel formation (903) 48
Shoji, N., see Kobayashi, M. (903) 96
Simons, E.R., see Davies, T.A. (903) 381
Singer, M.A., see Hicks, A. (903) 177
Skrabanja, A.T.P., Van der Hijden, H.T.W.M. and De Pont, J.J.H.H.M.
Transport ratios of reconstituted (H^+ + K^+)-ATPase (903) 434
Somerharju, P.J., see Van Paridon, P.A. (903) 68
Stio, M., see Vincenzini, M.T. (903) 273
Storelli, C., see Scalera, V. (903) 1
Stutzin, A., see Nir, S. (903) 309
Suzuki, T., see Suzuki, Y. (903) 417
Suzuki, Y., Nagao, Y., Kato, H., Suzuki, T., Matsumoto, M. and Murayama, J.-i.
The hemagglutinins of the human influenza viruses A and B recognize different receptor microdomains (903) 417
Swarts, H.G.P., Zwartjes, H.A.H.T., Schuurmans Stekhoven, F.M.A.H. and De Pont, J.J.H.H.M.
Pb^{2+} and imidazole-activated phosphorylation by ATP of (Na^+ + K^+)-ATPase (903) 525
Swartz Jr., G.M., see Fogler, W.E. (903) 265

Takahashi, M., Aramaki, Y., Inaba, A. and Tsuchiya, S.
Inhibition of alkaline phosphatase activity and D-glucose uptake in rat renal brush-border membrane vesicles by aminoglycosides (903) 31
Takeguchi, N., see Kashiwagura, T. (903) 248
Tas, P.W.L., Massa, P.T., Kress, H.G. and Koschel, K.
Characterization of an $Na^+/K^+/Cl^-$ co-transport in primary cultures of rat astrocytes (903) 411
Tenchov, B.G., see Koynova, R.D. (903) 186
Thomas, E.W., see Morgan, C.G. (903) 504
Thomson, A.B.R., Gardner, M.L.G. and Atkins, G.L.

Alternate models for shared carriers or a single maturing carrier in hexose uptake into rabbit jejunum in vitro (903) 229
Treves, C., see Vincenzini, M.T. (903) 273
Tsuchiya, S., see Takahashi, M. (903) 31

Van der Hijden, H.T.W.M., see Skrabanja, A.T.P. (903) 434
Vanni, P., see Vincenzini, M.T. (903) 273
Van Paridon, P.A., Gadella Jr., T.W.J., Somerharju, P.J. and Wirtz, K.W.A.
On the relationship between the dual specificity of the bovine brain phosphatidylinositol transfer protein and membrane phosphatidylinositol levels (903) 68
Vasilescu, V., see Davies, T.A. (903) 381
Verhallen, P.F.J., Bevers, E.M., Comfurius, P. and Zwaal, R.F.A.
Correlation between calpain-mediated cytoskeletal degradation and expression of platelet procoagulant activity. A role for the platelet membrane-skeleton in the regulation of membrane lipid asymmetry? (903) 206
Verhallen, P.F.J., see Bevers, E.M. (903) 197
Verkleij, A.J., see Batenburg, A.M. (903) 142
Vidaver, G.A., see Lee, J.W. (903) 257
Vincenzini, M.T., Iantomasi, T., Stio, M., Treves, C., Favilli, F. and Vanni, P.
1-*O*-*n*-Octyl-*β*-D-glucopyranoside as a competitive inhibitor of Na^+-dependent D-glucose cotransporter in the small intestine brush-border membrane (903) 273

Walmsley, A.R., see Lowe, A.G. (903) 547
Walter, L., see Büchner, K.-H. (903) 241
Wheeler, K.P., see Charalambous, B.M. (903) 441
Wirtz, K.W.A., see Van Paridon, P.A. (903) 68
Woffendin, C. and Plagemann, P.G.W.
Nucleoside transporter of pig erythrocytes. Kinetic properties, isolation and reaction with nitrobenzylthioinosine and dipyridamole (903) 18
Wolff, G., see Lazrak, T. (903) 132

Yianni, Y.P., see Morgan, C.G. (903) 495
Yianni, Y.P., see Morgan, C.G. (903) 504

Zaba, B.N., see Heckl, W.M. (903) 166
Ziegler, K.
Evidence for glycoprotein components of the hepatocellular bile acid transporter (903) 510
Zimmermann, U., see Büchner, K.-H. (903) 241
Zwaal, R.F.A., see Bevers, E.M. (903) 197
Zwaal, R.F.A., see Verhallen, P.F.J. (903) 206
Zwartjes, H.A.H.T., see Swarts, H.G.P. (903) 525